

IN THE CLAIMS:

Please cancel claim 1 without prejudice, amend claims 2-5, and add new claim 6 as follows:

1. (Canceled)

2. (Currently Amended) Arrangement according to claim 6 4, characterized by the fact that the object (1) is made of glass fibre reinforced polyester or epoxy, which is cast over an internal mold (9) whereby a thin shell (10) is produced, which internal mold (9) is cast over a model of the finished object (1), to which has been applied a parting agent.

3. (Currently Amended) Arrangement according to claim 6 4, characterized by the fact that walking areas outside the chute (6) are embodied with a skid proof surface, which can be achieved by making the upper side of ~~the~~ a model (8) smooth at the areas, where the object (1) is to be smooth, preferably a chute (6), and giving all other areas a skid proof surface.

4. (Currently Amended) Arrangement according to claim 6 4, characterized by the fact that the means (11,14) comprise a vertical or approximately vertical post or mast (11), ~~for example of steel~~, which is carried through a hole (12) at the top of the object (1) and secured in the ground, ~~for example~~ in a foundation block (13), and of one or more anchors (14) carried through openings along the edge (2) and rammed

down into the ground.

5. (Currently Amended) Arrangement according to claim 4, characterized by the fact that the top of the mast (11) has a free height (h) above the top of the object (1), that a horizontal bar (16) is secured to the mast (11) at one end (15) and at the other end is attached to a vertical post (17) which is rammed into or in other ways held solidly in the ground, whereby a frame is produced for a swing (18), and that furthermore there may to the upper end of the mast (11) be attached a rope (19), which at its other end is fastened to ~~a support, for instance~~ a post (20), which is secured in the ground, thus constituting a ropeway.

6. (New) An arrangement for a playground for children, comprising:

an internally hollow object confining a hollow space for playing inside and a bottom portion,

a circumferential edge bounding said bottom portion and for resting on the ground,

said internally hollow object further comprising a thin shell configured as a mountain top,

at least one chute extending from a top of said object to a bottom thereof and integral with said shell,

at least one flight of steps extending from the top of said object to the bottom thereof and integral with said shell,

a holding means extending from said top to beyond said bottom for inserting

into the ground, and

a plurality of securing means for anchoring and securing said object to the ground.